=> IFW: Scan as Doc Code: SRNT <= Doc Date:

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: lo(327,375)

1.) See <u>attached</u> printout of inventors listed in PALM

2.) See <u>attached</u> EAST Inventor Search Printout shows Inventor search terms

PALM INTRANET

Day: Thursday Date: 6/22/2006 Time: 15:08:14

Inventor Information for 10/827375

Inventor Name	City	State/Country
LIANG, MORRIS P.F.	HSINCHU HSIEN	TAIWAN
CHUANG, SWAY	HSINCHU HSIEN	TAIWAN
FAN, FRANK K.C.	HSINCHU CITY	TAIWAN
KAO, CHEN CHUNG	HSINCHU HSIEN	TAIWAN
Appln Info Contents Petition Inf	Atty/Agent Info Continuity D	ata Foreign Data Inventors
Search Another: Application# 🗌	Search or Patent#	Search
PCT / /	Search or PG PUBS #	Search
Attorney Docket #	Search	
Bar Code #	Search	

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

US 20060116092 A1	20060601	Communication system and method	455/134	455/101; 455/277.2	Uno; Masahiro et al.
US 20060102483 A1	20060518	Hydrogel-driven micropump	204/605	204/601	Chuang; Shih-Wei (Sway) et al.
US 20060090837 A1	20060504	Process for manufacturing a flat wrapping material	156/184	156/185; 156/194	Kao; Cheng- Kang et al.
US 20060044261 A1	20060302	Pointing input device imitating inputting of hotkeys of a keyboard	345/156		Hsieh; Kao- Cheng
US 20060029492 A1	20060209	Three-dimensionally vibration-preventing buffering mechanism	415/119		Kao; Cheng- Shen
US 20050280670 A1	20051222	Inkjet printhead	347/61		Chuang, Sway et al.
US 20050260607 A1	20051124	Single nucleotide polymorphism genotyping	435/6	435/91.2	Kao, Cheng Shiang et al.
US 20050253728 A1	20051117	METHOD AND SYSTEM FOR DETECTING FIRE IN A PREDETERMINED AREA	340/577	340/630	Chen, Chao-Ho et al.
US 20050200594 A1	20050915	Wireless human input device	345/156		Hsieh, Kao- Cheng
US 20050200531 A1	20050915	Circular polarised array antenna	343/700MS	343/893	Huang, Kao- Cheng et al.
US 20050127147 A1	20050616	[METHOD OF FORMING BOND MICROSTRUCTURE]	228/254		KAO, CHENG- HENG et al.
US 20050123708 A1	20050609	[EASILY TEARABLE FILM AND METHOD FOR PREPARING THE SAME]	428/43		Chen, Su- Chen et al.
US 20050104215 A1	20050519	Barrier layers for tin- bearing solder joints	257/751	257/E23.021	Kao, Cheng- Heng et al.

US	20050324	VIDEO DATA	382/254	382/162;	Wang,
20050063603	20030324	ENHANCEMENT	302123T	382/168	Chao-
A1		METHOD		302,100	Ming et al.
US	20050310	Thermal bubble	347/65		Chung,
20050052502	20030310	membrane microfluidic	347/03		Chung, Chen-
US US	20050303	actuator	422/100	426/190	Kuei et al.
	20050303	Microfluidic	422/100	436/180	Chuang,
20050047967		component providing			Sway et
A1		multi-directional fluid			al.
***	20041007	movement	226/200	0.55/207.046	ļ
US	20041007	High density multi-	336/200	257/E27.046;	Liang,
20040196130		layer microcoil and		29/602.1;	Morris
Al		method for fabricating		29/606;	P.F. et al.
		the same		29/846	
US	20031225	FLIP CHIP	257/778	257/E21.503;	Liu,
20030234453		INTERCONNCETION		257/E21.511;	Cheng-Yi
A1		STRUCTURE AND		257/E23.021	et al.
		PROCESS OF			
		MAKING THE SAME	<u> </u>		
US	20031127	Solder joints with low	428/675		Kao,
20030219623		consumption rate of			Cheng
A1		nickel layer			Heng et al.
US	20031113	High density multi-	29/602.1	257/E27.046;	Liang,
20030208900		layer microcoil and		29/606;	Morris
A1		method for fabricating		29/846;	P.F. et al.
		the same		336/200	
US	20031023	Hydrogel-driven	204/600	204/450;	Chuang,
20030196900		micropump		204/601	Sway et
A1		• •			al.
US	20031002	Wireless local loop	455/462	455/418;	Hsu,
20030186711		equipment parameter		455/566	Chen-Tao
A1		setting system and			et al.
		method			50 41.
US	20031002	Hollow connector	439/620		Kao,
20030186587			,		Chen-
A1					Chun et al.
US	20030904	MOTION	375/240.29	375/240.16	CHEN,
20030165198	20030704	DETECTION	3131270.29	3737240.10	HSIAO-
A1		METHOD WITH			PING et
		USER-ADJUSTABLE			al.
		PARAMETERS FOR			ai.
		BETTER		<u> </u>	
		DETECTION			
LIC	20020717	ACCURACY	220/100 22		IZ
US	20030717	METHOD FOR	228/180.22		Kao,
20030132271		CONTROLLING THE		<u></u>	Cheng-

.

A1		FORMATION OF INTERMETALLIC COMPOUNDS IN SOLDER JOINTS			Heng et al.
US 20030062911 A1	20030403	Apparatus and method for detecting the AC component of a signal	324/724		Kao, Cheng- Yung et al.
US 20020133297 A1	20020919	Ligand docking method using evolutionary algorithm	702/19	703/11	Yang, Jinn- Moon et al.
US 20020078788 A1	20020627	BICYCLE HANDLE STAKE WITH DOUBLE LOCKING PORTIONS	74/551.8		Kao, Cheng- Hsien
US 6876285 B2	20050405	High density multi- layer microcoil and method for fabricating the same	336/83	257/E27.046; 336/200	Liang; Morris P. F. et al.
US 6744142 B2	20040601	Flip chip interconnection structure and process of making the same	257/778	257/737; 257/766; 257/E21.503; 257/E21.511; 257/E23.021	Liu; Cheng-Yi et al.
US 6642079 B1	20031104	Process of fabricating flip chip interconnection structure	438/108	257/E21.508; 257/E21.511; 438/612; 438/613; 438/614; 438/615	Liu; Cheng-Yi et al.
US 6602777 B1	20030805	Method for controlling the formation of intermetallic compounds in solder joints	438/613	228/180.22; 228/262.3; 228/262.31; 428/646; 428/647; 428/648; 430/557; 430/560; 438/119	Kao; Cheng- Heng et al.
US 6500290 B1	20021231	Process for manufacturing a multi- layered flat adhesive tape	156/196	156/184; 156/185; 156/252; 156/289; 206/411	Kao; Cheng- Kang et al.
US 6447861	20020910	Faery adhesive tape	428/40.1	40/768;	Kao;

B1				40/773; 428/212;	Cheng- Kang et al.
				428/219; 428/354	
US 6439079 B1	20020827	Bicycle handle stake with double locking portions	74/551.8		Kao; Cheng- Hsien
US 6429696 B1	20020806	Peak hold and calibration circuit	327/58	327/62	Kao; Cheng- Yung et al.
US 6383590 B1	20020507	Tear-along structure of a sheet material	428/36.91	242/160.1; 242/613.2; 242/613.3; 428/43	Kao; Cheng- Kang
US 6335500 B1	20020101	Push button type of switch	200/341	200/314; 200/520; 200/523	Chi; Ching-Yu et al.
US 6224705 B1	20010501	Special process for manufacturing multi-layered flat adhesive tape	156/196	156/184; 156/185; 156/252; 156/289; 206/411	Kao; Cheng- Kang et al.
US 6085405 A	20000711	Method of fabricating a handlebar stem for a bicycle	29/558	29/557; 72/267; 72/334; 72/356; 72/377	Kao; Cheng- Hsien
US 5950897 A	19990914	Storage box	224/666	224/240; 224/242; 224/268; 224/269; 224/271; 224/668	Kao; Cheng- Hsien
US D375933 S	19961126	Battery	D13/103		Kao; Chen L.
US 5433504 A	19950718	Adjusting mechanism for a bicycle seat post	297/215.15	403/391	Kao; Cheng- Hsien
US 5404769 A	19950411	Adjustable bicycle handlebar stem	74/551.3	280/279; 403/351; 403/367; 74/551.1	Kao; Cheng- Hsien
US 5366775 A	19941122	Ease-peeling and safe- dispensing tape roll for packing or sealing	428/41.5	428/137; 428/195.1; 428/202;	Kao; Cheng- Kang

US 5232421	19930803	Stepper	482/53	428/352; 428/43; 428/906 482/908	Chen; Jin-
A					Liang et al.
US 5172834 A	19921222	Dispensing container converting reciprocating motion to rotary motion to move a product dispensing piston to dispense the product in a fixed amount	222/320	222/321.7; 222/387; 222/390; 222/391	Wang; Philip
US 5168735 A	19921208	Key holder	70/456R	206/37.5; 24/3.6; 70/457	Wang; Philip